


SILICON COATED AXIAL WIREWOUND RESISTORS

Series: MSA

Features:

- ➤ Flameproof Coating Compatible with UL standards
- 0.5W to 12 Watts rating available
- > Industrial & Professional Application
- TCR as low as +15ppm/°C available depending on application & resistance value.
- ➤ Low Tolerance upto **±0.25%** on request can be provided
- Available in non-inductive style
 Aryton- Perry winding for lowest reactive components
- ➤ **RoHS** Compliant directive 2002/95/EC
- ➤ Lead (Pb)-free solder contacts.



CONSTRUCTION: COLOUR CODE RINGS OR LEGEND MARKING FLAME RETERDANT LACQ JER COATING HIGH THERMAL CONDUCTIVITY CERAMIC CORE ALLOY RESISTANCE WIRE WOUND TO SPECIFIC PARAMETERS ON HIGH THERMAL CONDUCTIVITY CERAMIC CORE

Technical specification:

DECODIDATION	SERIES							
DESCRIPTION	MSA0.5	MSA1	MSA2	MSA3	MSA5	MSA7	MSA8	MSA10
Resistance range*	0.1Ω ~ 47Ω	0.1Ω ~ 150Ω	0.1Ω ~ 200Ω	0.1Ω ~ 400Ω	0.1Ω ~ 1KΩ	0.1Ώ ~ 1ΚΏ	0.1Ω ~ 2KΏ	0.1Ώ ~ 10ΚΏ
Resistance tolerance	±1% ~ ±5%							
Temperature coefficient	≤ 200 ppm/°C							
Maximum dissipation @ 70 ℃	0.5W	1W	2W	3W	5W	7W	8W	10W
Maximum permissible voltage	√PXR							
Climatic category	55/155/56							
Stability, R max.								
Load	\triangle R±(1.5% +0.10 Ω)							
Climatic test	\triangle R±(1.5% +0.10 Ω)							
Soldering	\triangle R±(0.5% +0.05 Ω)							
Short time overload	△ R±(2.0% +0.10Ω)							

^{*} Note: Higher ohmic value other than resistance range & Non inductive type are available on request

MFR reserves the right to make changes in product specification without notice or liability


MSA11

Page: 1 of 3

Document no. :

All information is subject to MFR's own data & is considered accutate at the time of going to print.

Revision no.: 120129



Physical Data:

1.0 GENERAL SPECIFICATION :

WATT.		TOL.	TCR	TCR DIMENSIONS (mm)				RESISTANCE
TIFE	@ 70°C	TOL.	РРМ/℃	L (± 1.5)	D (± 1.5)	d ± 0.05	H (MIN)	RANGE
MSA 0.5	0.5W	±1%, ±5%	<u><</u> ±200	9.5	3.5	0.6	25 min	$0.1\Omega \sim 47\Omega$
MSA 1	1W	±1%, ±5%	<u><</u> ±200	12	4.0	0.8	25 min	$0.1\Omega \sim 150\Omega$
MSA 2	2W	±1%, ±5%	<u><</u> ±200	16	5.5	0.8	25 min	0.1Ω ~ 200Ω
MSA 3	3W	±1%, ±5%	<u><</u> ±200	18	5.5	0.8	25 min	0.1Ω ~ 400Ω
MSA 5	5W	±1%, ±5%	≤ ±200	22	6.5	0.8	25 min	0.1Ω ~ 1ΚΩ
MSA 7	7W	±1%, ±5%	≤ ±200	25	8.0	0.8	25 min	0.1Ω ~ 1ΚΩ
MSA 8	8W	±1%, ±5%	≤ ±200	43	8.0	0.8	25 min	0.1Ω ~ 2ΚΩ
MSA 10	10W	±1%, ±5%	≤ ±200	53	8.0	0.8	25 min	0.1Ω ~ 10ΚΩ

Note : Working voltage is √ P X R where P is power & R is resistance in Ohms

Non Inductive Resistors:

Low inductance Aryton - perry winding type resistors are available in this series. For non- inductive type reduces maximum resistance values shown to 50% and the continuous working voltage to 70%.

Flammability:

The resistor coating will not burn or emit incandesent particles under any condition of applied temperature or

Marking:


The MSA type the nominal resistance & tolerance are marked on the resistor body using

four coloured bands. OR marked using LEGEND marking; for e.g : MFR

0E1 5W J

Part Numbering Information:

Part Number: Type number, power rating, resistance value, tolerance, tcr.



MFR reserves the right to make changes in product specification without notice or liability.

All information is subject to MFR's own data & is considered accutate at the time of going to print.

Document no.: MSA11

120129

Revision no.:


Page: 2 of 3


Packing Information:

MSA Type / series can be supplied in taped & bulk form. As well as some parts can be supplied in reel on request.

Performance Data (Procedure & Requirements):

TEST	PROCEDURE	REQUIREMENTS	
Robustness Of Termination			
1. Tensile Test	Load 10 N for 10 sec.	No visual damage	
2. Bend Test	Load 5 N 90°, 180°, 90°	No visual damage	
3. Torsion Test	3 X 360° in opposite directions	No visual damage	
		\triangle R/R max.: ±(0.50% +0.05 Ω)	
Solderability Test	16 hrs steam or 16 hrs. at 155℃	>95% coverage covered (good tinning)	
	10 sec. ±0.5 sec. in solder at 260°±5°C Using flux	& no damage	
Resistance To Soldering Heat	at 350 ℃ for 3 sec., 2.5mm from the body	△R/R max.: ±(0.5% +0.05 Ω)	
Tamananatuma Crustina	30 minutes at -40 ℃ & 30 minutes at 200 ℃	No visual damage	
Temperature Cycling	Total 5 number of cycles.	\triangle R/R max.: ±(1.0% +0.05 Ω)	
Dry Heat Test	16 hrs at 275℃	\triangle R/R max.: ±(1.0% +0.05 Ω)	
Cold Test	2 hrs at -55 ℃	△R/R max.: ±(0.50% +0.05 Ω)	
Short Time Overload	5 X Rated power for 5 sec. upto 3W size	\triangle R/R max.: ±(2.0 +0.05 Ω)	
	10 X Rated power for 5 sec. from 5W size to 10W size		
Endurance @ 40°C	1000 hrs. load with Pn (power nominal)	No visual damage	
	1.5 hr. ON & 0.5 hr. OFF	△R/R max.: ±(5.0% +0.1 Ώ)	
Endurance @ 70°C	1000 hrs. load with 0.9Pn (power nominal)	No visual damage	
	1.5 hr. ON & 0.5 hr. OFF	△R/R max.: ±(5.0% +0.1 Ώ)	
Endurance @ Upper Category	1000 hrs. at 275 ℃ with no load	No visual damage	
Temperature		\triangle R/R max.: ±(5.0% +0.1 Ω)	
Temperature Rise Test	Horizontally mounted, loaded with Pn	Hot spot temperature less than	
		maximum body temperature	
Damp Heat Steady State	56 days, 40 ℃; 90 to 95% Rh;	No visual damage	
	dissipation ≤ 0.01Pn	△R/R max.: ±(5.0% +0.1 Ώ)	
Temperature Coefficient	At 25/-40/25 ℃ & 25/200/25 ℃	Within specified limits	
Insulation Resistance	V- Block method for 1 minute duration	> 10 ³ ΜΩ	
	At 500 V dc		





 $\label{eq:MFR} \textit{MFR} \ \textit{reserves} \ \textit{the right to make changes in product specification without notice or liability}.$

All information is subject to MFR's own data & is considered accutate at the time of going to print.

Document no.: MSA11 Page:3 of 3

Revision no.: 120129

